

CREATIVE SOLUTIONS

FEELING SPECIAL


GATEFOLD	3
SUPERGATEFOLD	4
DOUBLE GATEFOLD	5
INSERT - 2p tot 40p.....	6
INSERT - 6p.	7
LOOSE INSERT	8
GLUEING PRINTED MATTERS.....	9
POP-UP.....	10
GLUEING SACHETS/SAMPLES	10
INSERTS, SACHETS/SAMPLES OR OTHER TO BE PROCESSED LOOSE AND ONLY FOR THE PART 'SUBSCRIBERS'	11

GATEFOLD

THE FOLLOWING CONDITIONS APPLY TO ALL GATEFOLDS:

Reservations:	As early as possible and at least 9 weeks prior to publication. The dates will be determined by mutual agreement.
Price:	On request
Cancellations:	Cancellation of an assignment will not be accepted..
Submission of the material:	4 weeks prior to publication

INTERNAL OR EXTERNAL GATEFOLD



Composition internal gatefold:

2nd gate flap page + gate flap folio, folded inwards

Net size of the pages for an internal gatefold:

Page 1/2: 212 mm W x 285 mm H

Page 3: 222 mm W x 285 mm H

This formula offers three advertising pages on the cover to the same advertiser.

Composition external gatefold:

Page 1 of the gate flap + backside of the 2nd gate flap, folded outwards

Net size of the pages for an external gatefold:

Page 1/2: 212 mm W x 285 mm H

Page 3: 222 mm W x 285 mm H


This formula offers two consecutive advertising pages on the cover to the same advertiser

SUPERGATEFOLD

THE FOLLOWING CONDITIONS APPLY TO ALL GATEFOLDS:

Reservations:	As early as possible and at least 9 weeks prior to publication. The dates will be determined by mutual agreement.
Price:	On request
Cancellations:	Cancellation of an assignment will not be accepted..
Submission of the material:	4 weeks prior to publication

SUPERGATEFOLD



Composition supergatefold:

Consists of a GATEFOLD (2nd gate flap page + gate flap, folded inwards) and the first page of the body (= page 4).

Net sizes of the pages:

Page 1/2: 212 mm W x 285 mm H

Page 3: 222 mm W x 285 mm H

Page 4: 225 mm W x 285 mm H


This formula provides four color pages on the cover for a single advertiser.

DOUBLE GATEFOLD

THE FOLLOWING CONDITIONS APPLY TO ALL GATEFOLDS:

Reservations:	As early as possible and at least 9 weeks prior to publication. The dates will be determined by mutual agreement.
Price:	On request
Cancellations:	Cancellation of an assignment will not be accepted..
Submission of the material:	4 weeks prior to publication

DOUBLE GATEFOLD



Composition double gatefold:

Gatefold (2nd flap page + a gate flap) followed by a 2nd Gatefold (pages. 4/5 + a gate flap).

Net sizes of the pages:

Page 1/2: 212 mm W x 285 mm H

Page 3: 222 mm W x 285 mm H

Page 4/5: 222 mm W x 285 mm H

Page 6/7: 212 mm W x 285 mm H

This formula provides seven color pages on the cover for a single advertiser.

INSERT - 2p tot 40p.

POSSIBILITIES:

2 to 40 pages in the body of the magazine

Remark: for inserts of 6 pages: see technical data on the corresponding fiche

TECHNICAL DATA:

Inserts with 4 or more pages must always be delivered folded.

Folded insert sizes:

° Minimum size: 115 mm W x 155 mm H + 4 mm milling blank + 5 mm false trim at the top

Maximum size: 215 mm W x 275 mm H + 4 mm milling blank + 5 mm false trim at the top

Parts that must not be trimmed should be at least 8 mm inside the specified net sizes.

Samples must be glued on the inside pages of the insert.


WEIGHT OF PAPER:

Insert 2 or 4 pages: minimum 90 gramme/m²

As from 8 pages: minimum 70 gramme/m²

GRAIN DIRECTION:

Parallel with the fold of the insert



Delivery adress:

Roularta Media Group – to the attention of Griet Vanderyse
Meensesteenweg 300
BE – 8800 Roeselare

Please send approximately 10 dummies (or blank copies) to Roularta Media Group to the attention of Griet Vanderyse at last 5 weeks prior to issue date.

Without these dummies for approval Roularta Media Group declines all responsibility during processing.

For delivery conditions: see

<http://www.roularta.be/sites/default/files/public/roularta/TechnischeFiches/stackinginstructions.pdf>

INSERT - 6p.

TECHNICAL DATA:

Inserts with 4 or more pages must always be delivered folded.

Folded insert sizes:

Page 1-2:

Minimum size: 115 mm W x 155 mm H + 4 mm milling blank + 5 mm false trim at the top

Maximum size: 215 mm W x 265 mm H + 4 mm milling blank + 5 mm false trim at the top

Page 3-6:

Minimum size: 115 mm W x 155 mm H + 4 mm milling blank + 5 mm false trim at the top

Maximum size: 215 mm W x 265 mm H + 4 mm milling blank + 5 mm false trim at the top


Page 4-5:

Minimum size: 110 mm W x 155 mm H + 5 mm false trim at the top

Maximum size: 210 mm W x 265 mm H + 5 mm false trim at the top

Weight of paper for an insert of 6 pages : min 80 gramme/m²

Parts that must not be trimmed should be at least 8 mm inside the specified net sizes.



Delivery address:

Roularta Media Group – to the attention of Griet Vanderyse

Meensesteenweg 300

BE – 8800 Roeselare

Please send approximately 10 dummies (or blank copies) to Roularta Media Group to the attention of Griet Vanderyse at last 5 weeks prior to issue date.

Without these dummies for approval Roularta Media Group declines all responsibility during processing.

For delivery conditions: see

<http://www.roularta.be/sites/default/files/public/roularta/TechnischeFiches/stackinginstructions.pdf>

LOOSE INSERT

POSSIBILITIES:

2 to 48 pages

TECHNICAL DATA:

Sizes of the folded and trimmed loose insert:

Minimum size: 115 mm W x 155 mm H

Maximum size: 195 mm W x 255 mm H

The loose insert should always be delivered trimmed at 3 sides

WEIGHT OF PAPER:

2 to 8 pages minimum: 90 grammes/m²

As from 12 pages minimum: 70 grammes/m²

Delivery address:

Roularta Media Group – to the attention of Griet Vanderyse

Meensesteenweg 300

BE – 8800 Roeselare


Please send approximately 10 dummies (or blank copies) to Roularta Media Group to the attention of Griet Vanderyse at last 5 weeks prior to issue date.

Without these dummies for approval Roularta Media Group declines all responsibility during processing.

For delivery conditions: see

<http://www.roularta.be/sites/default/files/public/roularta/TechnischeFiches/stackinginstructions.pdf>

GLUEING PRINTED MATTERS



	<u>CARD</u>	<u>FOLDER</u>
Minimum dimension:	50 mm W x 70 mm H 70 mm W x 50 mm H	50 mm W x 70 mm H 70 mm W x 50 mm H
Maximum dimension:	100 mm W x 150 mm H	100 mm W x 150 mm H
Minimum paper weight:	135 grs/m ²	90 grs/m ²
Maximum paper weight:	180 grs/m ²	115 grs/m ²
Maximum total weight 1 item:	25 gramme	25 gramme
Maximum thickness 1 item::	3 mm	3 mm

Filled envelope: on demand

Positioning of the prints:

Printed matter can be glued within the shaded area (see drawing above)

Positioning requires a tolerance of 10 mm from the standard specified location, both in height and in width.

There can only be glued on the first page of a section.

Delivery adress:

Roularta Media Group – to the attention of Griet Vanderyse
Meensesteenweg 300
BE – 8800 Roeselare


Please send approximately 10 dummies (or blank copies) to Roularta Media Group to the attention of Griet Vanderyse at last 5 weeks prior to issue date.

Without these dummies for approval Roularta Media Group declines all responsibility during processing.

For delivery conditions: see

<http://www.roularta.be/sites/default/files/public/roularta/TechnischeFiches/stackinginstructions.pdf>

POP-UP



THE POP-UP CAN BE POSITIONED HORIZONTALLY OR VERTICALLY!

Technical data:

° Dimension:

Width: 105 mm + 3 mm milling blank

Height: 150 mm + 5 mm false trimm

° Paper Weight:

Minimum: 135 gr/m²

Maximum: 180 gr/m²

Delivery adress:

Roularta Media Group – to the attention of Griet Vanderyse

Meensesteenweg 300

BE – 8800 Roeselare


Please send approximately 10 dummies (or blank copies) to Roularta Media Group to the attention of Griet Vanderyse at last 5 weeks prior to issue date.

Without these dummies for approval Roularta Media Group declines all responsibility during processing.

For delivery conditions: see

<http://www.roularta.be/sites/default/files/public/roularta/TechnischeFiches/stackinginstructions.pdf>

GLUEING SACHETS/SAMPLES



Dimensions and weight:

Minimum dimension: 50mm W x 70 mm H / 70mm W x 50mm H

Maximum dimension: 100mm W x 150mm H

Maximum thickness: 3mm

Maximum weight: 25 gramme

Content / cm²: 0,15 ml

Positioning:

Sachets can be glued within the shaded area (see drawing above)

Positioning requires a tolerance of 10 mm from the standard specified location, both in height and in width. There can only be glued on the first page of a section.

Comment concerning the positioning of a flatspray:

When multiple flatsprays are present in one edition, the flatsprays will be repositioned accordingly to avoid local thickening of the magazine.

Further specifications:

The sealed edges of the sachet must be 5 mm wide and must be able to resist a pressure of approx 2000 kg.

The sachet must be as flat as possible, especially the sealed edges i.e. the content of the sachet must be equally divided on the total surface.

The sachet must be flexibel and resist the temperature of 100°C (Hotmelt).

Packaging:

The sachets must be delivered upright in boxes with approximately 500 sachets.

All sachets should be placed in the boxes in the same direction. The different rows must be divided with a divider that is 10 mm higher than the sachets (to provide the sealed edges to be deformed).

Please use well manageable boxes, also at least 10 mm higher than the sachets.

Delivery adress:

Roularta Media Group – to the attention of Griet Vanderyse

Meensesteenweg 300

BE – 8800 Roeselare

Please send approximately 10 dummies (or blank copies) to Roularta Media Group to the attention of Griet Vanderyse at last 5 weeks prior to issue date.

Without these dummies for approval Roularta Media Group declines all responsibility during processing.

For delivery conditions: see

<http://www.roularta.be/sites/default/files/public/roularta/TechnischeFiches/stackinginstructions.pdf>

INSERTS, SACHETS/SAMPLES OR OTHER TO BE PROCESSED LOOSE AND ONLY FOR THE PART 'SUBSCRIBERS'

All loose items that are meant to be processed with the subscribers of our magazines, must be delivered to the following address:

Delivery address:

**Roularta Media Group – to the attention of Griet Vanderyse
Meensesteenweg 300
BE – 8800 Roeselare**

Standard technical specifications and delivery conditions apply.

Please send approximately 10 dummies (or blank copies) to Roularta Media Group to the attention of Griet Vanderyse at last 5 weeks prior to issue date.

Without these dummies for approval Roularta Media Group declines all responsibility during processing.

For delivery conditions: see

<http://www.roularta.be/sites/default/files/public/roularta/TechnischeFiches/stackinginstructions.pdf>