CREATIVE SOLUTIONS

FLAIR VLAAMS


GATEFOLD	
SUPERGATEFOLD4	
DOUBLE GATEFOLD5	
INSERT - 2p tot 40p6	
NSERT – 6p7	
LOOSE INSERT7	
GLUEING PRINTED MATTERS9	
POP-UP	
GLUEING SACHETS10	
SECOND CENTRAL INSERT11	
INSERTS, SACHETS/SAMPLES OR OTHER TO BE PROCESSED LOOSE AND ONLY FOR THE PART 'SUBSCRIBERS'12	(

GATEFOLD

THE FOLLOWING CONDITIONS APPLY TO ALL GATEFOLDS:

Reservations:	As early as possible and at least 9 weeks prior to publication.
	The dates will be determined by mutual agreement.
Price:	On request
Cancellations:	Cancellation of an assignment will not be accepted
Submission of the material:	4 weeks prior to publication

INTERNAL OR EXTERNAL GATEFOLD



<u>Composition internal gatefold:</u> 2nd gate flap page + gate flap folio, folded inwards

Net size of the pages for an internal gatefold: Page 1/2: 196 mm W x 265 mm H Page 3: 201 mm W x 265 mm H This formula offers three advertising pages on the cover to the same advertiser.

<u>Composition external gatefold:</u> Page 1 of the gate flap + backside of the 2nd gate flap, folded outwards


Net size of the pages for an external gatefold: Page 1/2: 196 mm W x 265 mm H Page 3: 201 mm W x 265 mm H This formula offers two consecutive advertising pages on the cover to the same advertiser

SUPERGATEFOLD

THE FOLLOWING CONDITIONS APPLY TO ALL GATEFOLDS:

Reservations:	As early as possible and at least 9 weeks prior to publication.	
	The dates will be determined by mutual agreement.	
Price:	On request	
Cancellations:	Cancellation of an assignment will not be accepted	
Submission of the material:	4 weeks prior to publication	

SUPERGATEFOLD



Composition supergatefold:

Consists of a GATEFOLD (2nd gate flap page + gate flap, folded inwards) and the first page of the body (= page 4).


Net sizes of the pages: Page 1/2: 196 mm W x 265 mm H Page 3: 201 mm W x 265 mm H Page 4: 206 mm W x 265 mm H This formula provides four color pages on the cover for a single advertiser.

DOUBLE GATEFOLD

THE FOLLOWING CONDITIONS APPLY TO ALL GATEFOLDS:

As early as possible and at least 9 weeks prior to publication.
The dates will be determined by mutual agreement.
On request
Cancellation of an assignment will not be accepted
4 weeks prior to publication

DOUBLE GATEFOLD



Composition double gatefold:

Gatefold (2nd flap page + a gate flap) followed by a 2nd Gatefold (pages. 4/5 + a gate flap).

Net sizes of the pages: Page 1/2: 196 mm W x 265 mm H Page 3: 201 mm W x 265 mm H Page 4/5: 201 mm W x 265 mm H Page 6/7: 196 mm W x 265 mm H This formula provides seven color pages on the cover for a single advertiser.

INSERT - 2p tot 40p.

POSSIBILITIES:

2 to 40 pages in the body of the magazine <u>Remark</u>: for inserts of 6 pages: see technical data on the corresponding fiche

TECHNICAL DATA:

Inserts with 4 or more pages must always be delivered folded.

Folded insert sizes:

 $^{\rm o}$ Minimum size without flap: 115 mm W x 148 mm H + 10 mm false trim at the top

Maximum size without flap: 196 mm W x 255 mm H + 10 mm false trim at the top

° Minimum size with flap:105/115 mm W x 148 mm H + 10 mm false trim at the topMaximum size with flap:186/196 mm W x 255 mm H + 10 mm false trim at the top

Parts that must not be trimmed should be at least 8 mm inside the specified net sizes.

Samples must be glued on the inside pages of the insert.


WEIGHT OF PAPER:

Min. insert 4 pages: 120 gram/m² Max. insert 40 pages: 56 gram/m² **GRAIN DIRECTION:**

Parallel with the fold of the insert

IMPORTANT FOR INSERTS OF 8 PAGES AND MORE

- Insert closed at the top without a flap of 10 mm or
- Insert open at the top but with a flap of 10 mm



<u>Delivery Adress</u>: Roularta Media Group – to the attention of Griet Vanderyse Meensesteenweg 300 BE – 8800 Roeselare

Please send approximately 10 dummies (or blank copies) to Roularta Media Group to the attention of Griet Vanderyse at last 5 weeks prior to issue date.

Without these dummies for approval Roularta Media Group declines all responsibility during processing.

For *delivery* conditions: see

http://www.roularta.be/sites/default/files/public/roularta/TechnischeFiches/stackinginstructions.pdf

INSERT – 6p.

TECHNICAL DATA:


Inserts with 4 or more pages must always be delivered folded. Folded insert sizes:

<u>Page 1-2:</u>	
Minimum size:	115 mm W x 155 mm H + 10 mm false trim at the top
Maximum size:	196 mm W x 255 mm H + 10 mm false trim at the top
<u>Page 3-6:</u>	
Minimum size:	105 mm W x 155 mm H + 10 mm false trim at the top
Maximum size:	186 mm W x 255 mm H + 10 mm false trim at the top
<u>Page 4-5:</u>	
Minimum size: 100	mm W x 155 mm H + 10 mm false trim at the top
Maximum size:181	mm W x 255 mm H $+$ 10 mm false trim at the top

Remark! Pages 3-6 & 4-5 will come in the first part of the magazine, page 1-2 will come in the second part of the magazine.

A flap of 10mm must be foreseen between pages 1-2 and 3-6, meaning that page 1-2 has to be 10mm larger than page 3-6

Paperweight for in an insert of 6 pages: min. 80 gramme/m² Parts that must not be trimmed should be at least 8 mm inside the specified net sizes.



Delivery Adress:

Roularta Media Group – to the attention of Griet Vanderyse Meensesteenweg 300 BE – 8800 Roeselare

Please send approximately 10 dummies (or blank copies) to Roularta Media Group to the attention of Griet Vanderyse at last 5 weeks prior to issue date.

Without these dummies for approval Roularta Media Group declines all responsibility during processing.

For *delivery* conditions: see

http://www.roularta.be/sites/default/files/public/roularta/TechnischeFiches/stackinginstructions.pdf

LOOSE INSERT

POSSIBILITIES: 2 to 48 pages

TECHNICAL DATA: Sizes of the folded and trimmed loose insert:

Minimum size: 105 mm W x148 mm H Maximum size: 176 mm W x 235 mm H

The loose insert should always be delivered trimmed at 3 sides

WEIGHT OF PAPER: For 2 pages minimum: 135 frammes/m² For 48 pages maximum: 56 grammes/m²

Delivery address when it concerns the whole edition: Roularta Media Group – to the attention of Griet Vanderyse Meensesteenweg 300 BE – 8800 Roeselare

Delivery address for loose items only meant for suscribers: Roularta Media Group – to the attention of Griet Vanderyse Meensesteenweg 300 BE – 8800 Roeselare


Please send approximately 10 dummies (or blank copies) to Roularta Media Group to the attention of Griet Vanderyse at last 5 weeks prior to issue date.

Without these dummies for approval Roularta Media Group declines all responsibility during processing.

For *delivery* conditions: see

http://www.roularta.be/sites/default/files/public/roularta/TechnischeFiches/stackinginstructions.pdf

GLUEING PRINTED MATTERS



	KAART	FOLDER	CREDIT CARD
			(rating outside specs)
Minimum dimension:	60 mm W x 80 mm H	60 mm W x 80 mm H	55 mm W x 80 mm H
Maximum dimension:	155 mm W x 210 mm H	155 mm W x 190 mm H	80 mm W x 100 mm H
Minimum paper weight:	120 grs/m ²	115 grs/m² for 4 pag.	200 grs/m ²
Maximum paper weight:	200 grs/m ²	60 grs/m² for 32 pag.	300 grs/m²
Maximum total weight 1	25 gramme	25 gramme	25 gramme
item:			
Maximum thickness 1	3 mm	3 mm	3 mm
item:			

Filled envelope: on demand

Positioning of the prints:

Printed matter can be glued within the shaded area (see drawing above)

Positioning requires a tolerance of 10 mm from the standard specified location, both in height and in width.

There can only be glued on the first page of a section.


<u>Delivery Adress</u>: Roularta Media Group – to the attention of Griet Vanderyse Meensesteenweg 300 BE – 8800 Roeselare

Please send approximately 10 dummies (or blank copies) to Roularta Media Group to the attention of Griet Vanderyse at last 5 weeks prior to issue date.

Without these dummies for approval Roularta Media Group declines all responsibility during processing.

For *delivery* conditions: see

http://www.roularta.be/sites/default/files/public/roularta/TechnischeFiches/stackinginstructions.pdf




BE – 8800 Roeselare

Please send approximately 10 dummies (or blank copies) to Roularta Media Group to the attention of Griet Vanderyse at last 5 weeks prior to issue date.

Without these dummies for approval Roularta Media Group declines all responsibility during processing.

For delivery conditions: see

http://www.roularta.be/sites/default/files/public/roularta/TechnischeFiches/stackinginstructions.pdf



Minimum dimension:	65 mm B x 80 mm H	Maximum weight:	25 gram
Maximum dimension:	100 mm B x 150 mm H	Content / cm ² :	0,15 ml
Maximum thickness:	3 mm		

Positioning:

Sachets can be glued within the shaded area (see drawing above)

Positioning requires a tolerance of 10 mm from the standard specified location, both in height and in width. There can only be glued on the first page of a section.

Comment concerning the positioning of a flatspray:

When multiple flatsprays are present in one edition, the flatsprays will be repositioned

accordingly to avoid local thickening of the magazine.

Further specifcations:

The sealed edges of the sachet must be 5 mm wide and must be able to resist a pressure of approx 2000 kg.

The sachet must be as flat as possible, especially the sealed edges i.e. the content of the sachet must be equally divided on the total surface.

The sachet must be flexibel and resist the temperature of 100°C (Hotmelt).

Packaging:

The sachets must be delivered upright in boxes with approximately 500 sachets. All sachets should be placed in the boxes in the same direction. The different rows must be divided with a divider that is 10 mm higher than the sachets (to provide the sealed edges to be

disformed).

Please use well manageable boxes, also at least 10 mm higher than the sachets.

Delivery Adress: Roularta Media Group - to the attention of Griet Vanderyse Meensesteenweg 300 BE – 8800 Roeselare

Please send approximately 10 dummies (or blank copies) to Roularta Media Group to the attention of Griet Vanderyse at last 5 weeks prior to issue date.

Without these dummies for approval Roularta Media Group declines all responsibility during processing.

For delivery conditions: see

http://www.roularta.be/sites/default/files/public/roularta/TechnischeFiches/stackinginstructions.pdf

SECOND CENTRAL INSERT


TECHNICAL DATA:

- the insert must be closed at the top (when more than 4 pages)
- with an insert that is closed at the top it is important that when perforations at the head are needed, that these perforations are not too sharp so that they do not open up during processing
- the insert must be delivered without a flap of 10 mm
- the insert will standard be bound in the first half of the magazine
- an insert from 4 till 22 pages can be delivered saddle stitched or glued in the spine
- an insert with more than 23 pages must always be delivered saddle stitched
- perforation lines must be at least 10 mm away from the central fold

SIZES closed at the top without a flap:

Min. size: 115 mm W x 148 mm H + 10 mm false trim at the top Max. size: 191 mm W x 255 mm H + 10 mm false trim at the top

PAPER WEIGHT: Minimum 120 grammes for 4 pag. Maximum 56 grammes for 48 pag.



<u>Delivery Adress</u>: Roularta Media Group – to the attention of Griet Vanderyse Meensesteenweg 300 BE – 8800 Roeselare

Please send approximately 10 dummies (or blank copies) to Roularta Media Group to the attention of Griet Vanderyse at last 5 weeks prior to issue date.

Without these dummies for approval Roularta Media Group declines all responsibility during processing.

For delivery conditions: see

http://www.roularta.be/sites/default/files/public/roularta/TechnischeFiches/stackinginstructions.pdf

INSERTS, SACHETS/SAMPLES OR OTHER TO BE PROCESSED LOOSE AND ONLY FOR THE PART 'SUBSCRIBERS'

All loose items that are meant to be processed with the subscribers of our magazines, must be delivered to the following address:

Roularta Media Group – to the attention of Griet Vanderyse Meensesteenweg 300 BE – 8800 Roeselare

Standard technical specifications and delivery conditions apply.

Please send approximately 10 dummies (or blank copies) to Roularta Media Group to the attention of Griet Vanderyse at last 5 weeks prior to issue date. Without these dummies for approval Roularta Media Group declines all responsibility during processing.

For *delivery* conditions: see

http://www.roularta.be/sites/default/files/public/roularta/TechnischeFiches/stackinginstructions.pdf